PRA Disclosure Statement

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0938-1279. The expiration date is 12/31/2027. The time required to complete this information collection is estimated to be .15 - .3 minutes per data element, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. This estimate does not include time for training. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850.

*****CMS Disclaimer****Please do not send applications, claims, payments, medical records or any documents containing sensitive information to the PRA Reports Clearance Office. Please note that any correspondence not pertaining to the information collection burden approved under the associated OMB control number listed on this form will not be reviewed, forwarded, or retained. If you have questions or concerns regarding where to submit your documents, please contact Annese Abdullah-McLaughlin, National Coordinator, Home Health Quality Reporting Program Centers for Medicare & Medicaid Services.

OUTCOME AND ASSESSMENT INFORMATION SET VERSION E1 All Items

Section A Administrative Information
M0018. National Provider Identifier (NPI) for the attending physician who has signed the plan of care
UK — Unknown or Not Available
M0010. CMS Certification Number
M0014. Branch State
M0016. Branch ID Number
M0020. Patient ID Number
M0030. Start of Care Date
Month Day Year
M0032. Resumption of Care Date
Month Day Year NA - Not Applicable
M0040. Patient Name
(First) (MI) (Last) (Suffix)
M0050. Patient State of Residence
M0060. Patient ZIP Code
M0064. Social Security Number
UK — Unknown or Not Available
M0063. Medicare Number
NA — No Medicare

M0065. Medicaid	Number
	NA — No Medicaid
M0069. Gender	
Enter Code	1. Male 2. Female
M0066. Birth Date	
Month	Day Year
A1005. Ethnicity	
Are you of Hispani	z, Latino/a, or Spanish origin?
↓ Check	all that apply
	o, not of Hispanic, Latino/a, or Spanish origin
B. Y	es, Mexican, Mexican American, Chicano/a
C. Y	es, Puerto Rican
D. Y	es, Cuban
E. Y	es, another Hispanic, Latino, or Spanish origin
X. P	atient unable to respond
Y. P	atient declines to respond
A1010. Race	
What is your race?	
↓ Check	all that apply
A. N	Vhite
B. 6	Black or African American
C. /	merican Indian or Alaska Native
D. /	sian Indian
E. (hinese
F. F	ilipino
G. J	apanese
H. H	<i>l</i> orean
l. N	lietnamese
J. (Other Asian
К. Г	lative Hawaiian
L. (Guamanian or Chamorro
M. 9	amoan
N. (Other Pacific Islander
X. F	atient unable to respond
Y. F	atient declines to respond
Z. 1	lone of the above

M0150. Cu	rrent Payment Sources for Home Care		
\checkmark	Check all that apply		
	0. None; no charge for current services		
	1. Medicare (traditional fee-for-service)		
	2. Medicare (HMO/managed care/Advantage plan)		
	3. Medicaid (traditional fee-for-service)		
	4. Medicaid (HMO/managed care)		
	5. Worker's compensation		
	6. Title programs (for example, Title III, V, or XX)		
	7. Other government (for example, TriCare, VA)		
	8. Private insurance		
	9. Private HMO/managed care		
	10. Self-pay		
	11. Other (specify)		
	UK. Unknown		
A1110. Lan			
AIIIO. Laii			
	A. What is your preferred language?		
Enter Code			
	B. Do you need or want an interpreter to communicate with a doctor or health care staff?		
	0. No 1. Yes		
	9. Unable to determine		
M0080. Dis	scipline of Person Completing Assessment		
Enter Code	1. RN		
code	2. PT		
	3. SLP/ST 4. OT		
M0090. Da	te Assessment Completed		
	Month Day Year		
M0100 Th	is Assessment is Currently Being Completed for the Following Reason		
Enter	Start/Resumption of Care		
Code	1. Start of care — further visits planned		
	3. Resumption of Care (after inpatient stay)		
	Follow-up		
	4. Recertification (follow-up) reassessment		
	5. Other follow-up		
	Transfer to an Inpatient Facility		
	6. Transferred to an inpatient facility — patient not discharged from agency		
	7. Transferred to an inpatient facility — patient discharged from agency		
	Discharge from Agency — Not to an Inpatient Facility		
	8. Death at home		
	9. Discharge from agency		

M0906. Discharge/Transfer/Death Date
Enter the date of the discharge, transfer, or death (at home) of the patient.
Month Day Year
M0102. Date of Physician-ordered Start of Care (Resumption of Care)
If the physician indicated a specific start of care (resumption of care) date when the patient was referred for home health services, record the date specified.
$\begin{array}{ c c } \hline \hline$
NA — No specific SOC/ROC date ordered by physician
M0104. Date of Referral
Indicate the date that the written or verbal referral for initiation or resumption of care was received by the HHA.
Month Day Year
A1250. Transportation (NACHC©)
Has lack of transportation kept you from medical appointments, meetings, work, or from getting things needed for daily living?
↓ Check all that apply
A. Yes, it has kept me from medical appointments or from getting my medications
B. Yes, it has kept me from non-medical meetings, appointments, work, or from getting things that I need
C. No
X. Patient unable to respond
Y. Patient declines to respond

Adapted from: NACHC© 2019. National Association of Community Health Centers, Inc., Association of Asian Pacific Community Health Organizations, Oregon Primary Care Association. PRAPARE and its resources are proprietary information of NACHC and its partners, intended for use by NACHC, its partners, and authorized recipients. Do not publish, copy, or distribute this information in part or whole without written consent from NACHC.

M1000. From which of the following Inpatient Facilities was the patient discharged within the past 14 days?		
\checkmark	Check all that apply	
	1. Long-term nursing facility (NF)	
	2. Skilled nursing facility (SNF/TCU)	
	3. Short-stay acute hospital (IPPS)	
	4. Long-term care hospital (LTCH)	
	5. Inpatient rehabilitation hospital or unit (IRF)	
	6. Psychiatric hospital or unit	
	7. Other (specify)	
	NA Patient was not discharged from an inpatient facility → <i>Skip to B0200, Hearing at SOC,</i> <i>Skip to B1300, Health Literacy at ROC</i>	

M1005. Inpatient Discharge Date (most recent)				
			-	UK — Unknown or Not Available
	Month	Day	Year	

M2301. Emergent Care
At the time of or at any time since the most recent SOC/ROC assessment has the patient utilized a hospital emergency department (includes holding/observation status)?
Enter Code 0. No → Skip to M2410, Inpatient Facility 1. Yes, used hospital emergency department WITHOUT hospital admission 2. Yes, used hospital emergency department WITH hospital admission UK Unknown → Skip to M2410, Inpatient Facility
M2310. Reason for Emergent Care
For what reason(s) did the patient seek and/or receive emergent care (with or without hospitalization)?
↓ Check all that apply
1. Improper medication administration, adverse drug reactions, medication side effects, toxicity, anaphylaxis
10. Hypo/Hyperglycemia, diabetes out of control
19. Other than above reasons
UK Reason unknown
M2410. To which Inpatient Facility has the patient been admitted?
Enter 1. Hospital Code 2. Rehabilitation facility 3. Nursing home 4. Hospice NA No inpatient facility admission [Omit "NA" option on TRN]
M2420. Discharge Disposition Where is the patient after discharge from your agency? (Choose only one answer.)
 Enter Code Patient remained in the community (without skilled services from a Medicare Certified HHA or non-institutional hospice) → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge Patient remained in the community (with skilled services from a Medicare Certified HHA) → Continue to A2121, Provision of Current Reconciled Medication List to Subsequent Provider at Discharge Patient transferred to a non-institutional hospice → Continue to A2121, Provision of Current Reconciled Medication List to Subsequent Provider at Discharge Unknown because patient moved to a geographic location not served by this agency → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge Other unknown → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge
A2120. Provision of Current Reconciled Medication List to Subsequent Provider at Transfer
At the time of transfer to another provider, did your agency provide the patient's current reconciled medication list to the subsequent provider?
Enter Code 0. No — Current reconciled medication list not provided to the subsequent provider → Skip to J1800, Any Falls Since SOC/ROC
 Yes — Current reconciled medication list provided to the subsequent provider→ Continue to A2122, Route of Current Reconciled Medication List Transmission to Subsequent Provider NA — The agency was not made aware of this transfer timely → Skip to J1800, Any Falls Since SOC/ROC
A2121. Provision of Current Reconciled Medication List to Subsequent Provider at Discharge At the time of discharge to another provider, did your agency provide the patient's current reconciled medication list to the subse- quent provider?
Enter Code 0. No - Current reconciled medication list not provided to the subsequent provider → Skip to B1300, Health Literacy 1. Yes - Current reconciled medication list provided to the subsequent provider → Continue to A2122, Route of Current Reconciled Medication List Transmission to Subsequent Provider

A2122. Route of Current Reconciled Medication List Transmission to Subsequent Provider		
Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider.		
Route of Transmission	\downarrow Check all that apply \downarrow	
A. Electronic Health Record		
B. Health Information Exchange		
C. Verbal (e.g., in-person, telephone, video conferencing)		
D. Paper-based (e.g., fax, copies, printouts)		
E. Other Methods (e.g., texting, email, CDs)		
	After completing A2122, Skip to B1300, Health Literacy at Discharge	
A2123. Provision of Current Reconciled Medication List to Patier	t at Discharge	
At the time of discharge to another provider, did your agency provide the patient's current reconciled medication list to the patient, family, and/or caregiver?		
Enter Code 0. No — Current reconciled medication list not provided to the patient, family, and/or caregiver → Skip to B1300, Health Literacy 1. Yes — Current reconciled medication list provided to the patient, family, and/or caregiver → Continue to A2124, Route of Current Reconciled Medication List Transmission to Patient		
A2124. Route of Current Reconciled Medication List Transmission to Patient		
Indicate the route(s) of transmission of the current reconciled medication list to the patient, family, and/or caregiver.		
Route of Transmission		
	igstarrow Check all that apply $igstarrow$	
A. Electronic Health Record		
B. Health Information Exchange		
C. Verbal (e.g., in-person, telephone, video conferencing)		
D. Paper-based (e.g., fax, copies, printouts)		
E. Other Methods (e.g., texting, email, CDs)		

Section B Hearing, Speech, and Vision

B0200. Hearing			
Enter Code	Ability to hear (with hearing aid or hearing appliances if normally used)		
	 Adequate – no difficulty in normal conversation, social interaction, listening to TV Minimal difficulty – difficulty in some environments (e.g., when person speaks softly, or setting is noisy) Moderate difficulty – speaker has to increase volume and speak distinctly Highly impaired – absence of useful hearing 		
B1000. Vision			
Enter Code	Ability to see in adequate light (with glasses or other visual appliances)		
	 Adequate – sees fine detail, such as regular print in newspapers/books Impaired – sees large print, but not regular print in newspapers/books Moderately impaired – limited vision; not able to see newspaper headlines but can identify objects Highly impaired – object identification in question, but eyes appear to follow objects Severely impaired – no vision or sees only light, colors, or shapes; eyes do not appear to follow objects 		

B1300. Health Literacy (From Creative Commons ©)

How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy?

0. Never
1. Rarely
2. Sometimes
3. Often
4. Always
7. Patient declines to respond
8. Patient unable to respond

The Single Item Literacy Screener is licensed under a Creative Commons Attribution Noncommercial 4.0 International License.

Section C Cognitive Patterns

C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted?		
Attempt to conduct interview with all patients.		
Enter Code	0. No (patient is rarely/never understood) \rightarrow Skip to C1310, Signs and Symptoms of Delirium (from CAM $@$)	
	1. Yes \rightarrow Continue to C0200, Repetition of Three Words	

Brief Interview for Mental Status (BIMS)

C0200. Repetitio	on of Three Words
Enter Code	Ask patient: "I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: sock, blue, and bed. Now tell me the three words." Number of words repeated after first attempt: 0. None 1. One 2. Two 3. Three After the patient's first attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a
	piece of furniture"). You may repeat the words up to two more times.
C0300. Tempora	al Orientation (Orientation to year, month, and day)
Enter Code	Ask patient: "Please tell me what year it is right now." A. Able to report correct year O. Missed by > 5 years or no answer 1. Missed by 2-5 years 2. Missed by 1 year 3. Correct
Enter Code	Ask patient: "What month are we in right now?" B. Able to report correct month O. Missed by > 1 month or no answer 1. Missed by 6 days to 1 month 2. Accurate within 5 days
Enter Code	Ask patient: "What day of the week is today?" C. Able to report correct day of the week O. Incorrect or no answer 1. Correct

C0400. Recall				
Enter Code	ter Code Ask patient: "Let's go back to an earlier question. What were those three words that I asked you to repeat?" If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word. A. Able to recall "sock" 0. No — could not recall 1. Yes, after cueing ("something to wear") 2. Yes, no cue required			
Enter Code			r")	
Enter Code	 C. Able to recall "bed" O. No — could not recall 1. Yes, after cueing ("a piece of furniture") 2. Yes, no cue required 			
C0500. BIMS Su	immary Score			
Enter Code	Add scores for question Enter 99 if the patient		and fill in total score (00-15) mplete the interview	
C1310. Signs an	nd Symptoms of Deliriun	n (from CAM©)		
Code after com	pleting Brief Interview for	or Mental Status	and reviewing medical record.	
A. Acute Onse	et of Mental Status Char	ige		
Enter Code	Is there evidence of an 0. No 1. Yes	acute change in	n mental status from the patient's baseline?	
Coding		↓ Enter codes in boxes		
 Behavior not present Behavior continuously 			B. Inattention – Did the patient have difficulty focusing attention, for example, being easily distractible or having difficulty keeping track of what was being said?	
2. Behav	it, does not fluctuate ior present, fluctuates s and goes, changes in		C. Disorganized thinking – Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?	
severit			 D. Altered level of consciousness — Did the patient have altered level of consciousness, as indicated by any of the following criteria? vigilant — startled easily to any sound or touch lethargic — repeatedly dozed off when being asked questions, but responded to voice or touch stuporous — very difficult to arouse and keep aroused for the interview comatose — could not be aroused 	

Adapted from: Inouye SK, et al. Ann Intern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. Not to be reproduced without permission.

M1700. Cognitive Functioning

M1700. Cogniti	ve Functioning
Patient's curren simple comman	t (day of assessment) level of alertness, orientation, comprehension, concentration, and immediate memory for ds.
Enter Code	 Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. Requires prompting (cueing, repetition, reminders) only under stressful or unfamiliar conditions. Requires assistance and some direction in specific situations (for example, on all tasks involving shifting of attention) or consistently requires low stimulus environment due to distractibility. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.
M1710. When 0	Confused
(Reported or Ob	oserved Within the Last 14 Days):
Enter Code	 Never In new or complex situations only On awakening or at night only During the day and evening, but not constantly Constantly NA Patient nonresponsive
M1720. When A	Anxious
(Reported or Ob	oserved Within the Last 14 Days):
Enter Code	 None of the time Less than often daily Daily, but not constantly All of the time NA Patient nonresponsive

Section D Mood						
D0150. Patient Mo	D0150. Patient Mood Interview (PHQ-2 to 9)					
Determine if the patient is rarely/never understood verbally, in writing, or using another method. If rarely/never understood, code D0150A1 and D0150B1 as 9, No response, leave D0150A2 and D0150B2 blank, end the PHQ-2 interview, and leave D0160, Total Severity Score blank. Otherwise, say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?"						
If yes in column 1,	ent, enter 1 (yes) in column 1, Symptom Presence. then ask the patient: "About how often have you been bothered by this?" e patient a card with the symptom frequency choices. Indicate response in column 2,	Symptom Freq	uency.			
1. Symptom Pro	1. Symptom Presence	2. Symptom Frequency				
	0-3 in column 2)1.2-6 days (several days)se (leave column2.7-11 days (half or more of the days)3.12-14 days (nearly every day)	↓Enter Scores in Boxes↓				
A. Little interest	or pleasure in doing things					
B. Feeling down, depressed, or hopeless						
If both D0150A1 a continue.	nd D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the	PHQ interview;	otherwise,			
C. Trouble falling	or staying asleep, or sleeping too much					
D. Feeling tired o	or having little energy					
E. Poor appetite or overeating						
F. Feeling bad about yourself — or that you are a failure or have let yourself or your family down						
G. Trouble conce	ntrating on things, such as reading the newspaper or watching television					
	H. Moving or speaking so slowly that the other people could have noticed. Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual					
I. Thoughts that	Thoughts that you would be better off dead, or of hurting yourself in some way					

Copyright © Pfizer Inc. All rights reserved. Reproduced with permission.

 D0160. Total Severity Score

 Enter Score
 Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)

D0700. Social Isolation

 How often do you feel lonely or isolated from those around you?

 Enter Code
 0. Never

Rarely
 Sometimes
 Often
 Always
 Patient declines to respond
 Patient unable to respond

Section E Behavior

M1740. Cognitive, Behavioral, and Psychiatric Symptoms that are demonstrated at least once a week (Reported or Observed):			
\checkmark	Check all that apply		
	1.	Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required	
	2.	Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions	
	3.	Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.	
	4.	Physical aggression : aggressive or combative to self and others (for example, hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)	
	5.	Disruptive, infantile, or socially inappropriate behavior (excludes verbal actions)	
	6.	Delusional, hallucinatory, or paranoid behavior	
	7.	None of the above behaviors demonstrated	

M1745. Frequency of Disruptive Behavior Symptoms (Reported or Observed):

Any physical, verbal, or other disruptive/dangerous symptoms that are injurious to self or others or jeopardize personal safety.

Enter Code

- Never
 Less than once a month
- 2. Once a month
- 3. Several times each month
- 4. Several times a week
- 5. At least daily

Section F Preferences for Customary Routine and Activities

M1100. Patient Living Situation						
Which of the following best describ	Which of the following best describes the patient's residential circumstance and availability of assistance?					
		Availability of Assistance				
Living Arrangement	Around the Clock	Regular Daytime	Regular Night- time	Occasional/ Short-Term Assistance	No Assistance Available	
		\checkmark Check one box only \checkmark				
A. Patient lives alone	01	02	03	04	05	
B. Patient lives with other person(s) in the home	06	07	08	09	10	
C. Patient lives in congregate situation (for example, assisted living, residential care home)	11	12	13	14	15	

SOC/ROC				
M2102. Types and Sources of Assistance				
		ty and willingness of non-agency caregivers (such as family members, friends, or privately paid caregivers) to for the following activities, if assistance is needed. Excludes all care by your agency staff.		
Enter Code	f.	 Supervision and safety (due to cognitive impairment) No assistance needed — patient is independent or does not have needs in this area Non-agency caregiver(s) currently provide assistance Non-agency caregiver(s) need training/supportive services to provide assistance Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance Assistance needed, but no non-agency caregiver(s) available 		
Discharge				
M2102. Types a	and	Sources of Assistance		
		ty and willingness of non-agency caregivers (such as family members, friends, or privately paid caregivers) to for the following activities, if assistance is needed. Excludes all care by your agency staff.		
Enter Code	a.	 ADL assistance (for example, transfer/ambulation, bathing, dressing, toileting, eating/feeding) 0. No assistance needed — patient is independent or does not have needs in this area 1. Non-agency caregiver(s) currently provide assistance 2. Non-agency caregiver(s) need training/supportive services to provide assistance 3. Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance 4. Assistance needed, but no non-agency caregiver(s) available 		
Enter Code	с.	 Medication administration (for example, oral, inhaled, or injectable) 0. No assistance needed — patient is independent or does not have needs in this area 1. Non-agency caregiver(s) currently provide assistance 2. Non-agency caregiver(s) need training/supportive services to provide assistance 3. Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance 4. Assistance needed, but no non-agency caregiver(s) available 		
Enter Code	d.	 Medical procedures/treatments (for example, changing wound dressing, home exercise program) 0. No assistance needed — patient is independent or does not have needs in this area 1. Non-agency caregiver(s) currently provide assistance 2. Non-agency caregiver(s) need training/supportive services to provide assistance 3. Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance 4. Assistance needed, but no non-agency caregiver(s) available 		
Enter Code	f.	 Supervision and safety (due to cognitive impairment) No assistance needed — patient is independent or does not have needs in this area Non-agency caregiver(s) currently provide assistance Non-agency caregiver(s) need training/supportive services to provide assistance Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance Assistance needed, but no non-agency caregiver(s) available 		

Section G Functional Status

M1800. Grooming

Current ability to tend safely to personal hygiene needs (specifically: washing face and hands, hair care, shaving or make up, teeth or denture care, or fingernail care).		
Enter Code	0.	Able to groom self unaided, with or without the use of assistive devices or adapted methods.
	1.	Grooming utensils must be placed within reach before able to complete grooming activities.
	2.	Someone must assist the patient to groom self.

3. Patient depends entirely upon someone else for grooming needs.

M1810. Current Ability to Dress <u>Upper</u> Body safely (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps.

Enter Code	 Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance. Able to dress upper body without assistance if clothing is laid out or handed to the patient. Someone must help the patient put on upper body clothing. Patient depends entirely upon another person to dress the upper body.
M1820. Curren nylons, shoes.	t Ability to Dress Lower Body safely (with or without dressing aids) including undergarments, slacks, socks or
Enter Code	 Able to obtain, put on, and remove clothing and shoes without assistance. Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient. Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes. Patient depends entirely upon another person to dress lower body.

M1830. Bathing

Current ability t	Current ability to wash entire body safely. Excludes grooming (washing face, washing hands, and shampooing hair).		
Enter Code	 Able to bathe self in <u>shower or tub</u> independently, including getting in and out of tub/shower. With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower. Able to bathe in shower or tub with the intermittent assistance of another person: 		
	 a. for intermittent supervision or encouragement or reminders, <u>OR</u> b. to get in and out of the shower or tub, <u>OR</u> c. for washing difficult to reach areas. 3. Able to participate in bathing self in shower or tub, <u>but</u> requires presence of another person throughout 		
	 Able to participate in bathing sen in shower of tub, <u>but</u> requires presence of another person throughout the bath for assistance or supervision. Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode. 		
	 Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person. Unable to participate effectively in bathing and is bathed totally by another person. 		

M1840. Toilet Transferring

Current ability t	Current ability to get to and from the toilet or bedside commode safely and transfer on and off toilet/commode.		
Enter Code	 Able to get to and from the toilet and transfer independently with or without a device. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer. <u>Unable</u> to get to and from the toilet but is able to use a bedside commode (with or without assistance). <u>Unable</u> to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. Is totally dependent in toileting. 		

M1845. Toileting Hygiene

Current ability to maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after u commode, bedpan, urinal. If managing ostomy, includes cleaning area around stoma, but not managing equip		
1.Able to manage toileting hygiene are laid out for the patient. 2.2.Someone must help the patient to are laid out for the patient to are laid		 Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient. Someone must help the patient to maintain toileting hygiene and/or adjust clothing.
	MALOFO Trough	

M1850. Transfe	1850. Transferring			
Current ability t	irrent ability to move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast.			
Enter Code	 Able to independently transfer. Able to transfer with minimal human assistance or with use of an assistive device. Able to bear weight and pivot during the transfer process but unable to transfer self. Unable to transfer self and is unable to bear weight or pivot when transferred by another person. Bedfast, unable to transfer but is able to turn and position self in bed. Bedfast, unable to transfer and is unable to turn and position self. 			

M1860. Ambulation/Locomotion

Current ability to walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.

Enter Code	 Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device). With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings. Requires use of a two-handed device (for example, walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces. Able to walk only with the supervision or assistance of another person at all times. Chairfast, <u>unable</u> to ambulate but is able to wheel self independently. Chairfast, <u>unable</u> to ambulate or be up in a chair.
------------	--

Section GG Functional Abilities

GG0100. Prior Functioning: Everyday Activities			
Indicate the patient's usual ability with everyday activities prior to the current illness, exacerbation, or injury.			
 Coding: 3. Independent – Patient completed all the activities by themself, with or without an assistive device, with no 	↓ Enter co	A. Self Care: Code the patient's need for assistance with bathing, dressing, using the toilet, and eating prior to the current illness, exacerbation, or injury.	
 assistance from a helper. Needed Some Help – Patient needed partial assistance from another person to complete any activities. Dependent – A helper completed all the activities for the patient. Unknown 		B. Indoor Mobility (Ambulation): Code the patient's need for assistance with walking from room to room (with or without a device such as cane, crutch or walker) prior to the current illness, exacerbation, or injury.	
9. Not Applicable		C. Stairs: Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.	
		D. Functional Cognition: Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.	

GG0110. Prior Device Use			
Indicate devic	Indicate devices and aids used by the patient prior to the current illness, exacerbation, or injury.		
\checkmark	Check all that apply		
	A. Manual wheelchair		
	B. Motorized wheelchair and/or scooter		
	C. Mechanical lift		
	D. Walker		
	E. Orthotics/prosthetics		
	Z. None of the above		

SOC/ROC

GG0130. Self-Care

Code the patient's usual performance at SOC/ROC for each activity using the 6-point scale. If activity was not attempted at SOC/ROC, code the reason.

Coding:

Safety and **Quality of Performance** – If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

If activity was not attempted, code reason:

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)

88. Not attempted due to medical conditions or safety concerns

so. Not attempted due to medical conditions of safety concerns		
1. SOC/ROC Performance		
Enter Codes in Boxes ↓		
	A.	Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
	В.	Oral Hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from mouth, and manage denture soaking and rinsing with use of equipment.
	C.	Toileting Hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
	E.	Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
	F.	Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable
	G.	Lower body dressing: The ability to dress and undress below the waist, including fasteners; does not include footwear.
	Н.	Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

Follow-up

GG0130. Self-Care

Code the patient's usual performance at Follow-up for each activity using the 6-point scale. If activity was not attempted at Follow-up, code the reason.

Coding:

Safety and Quality of Performance – If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

If activity was not attempted, code reason:

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)

88. Not attempted due to medical conditions or safety concerns

4. Follow-up Performance		
Enter Codes in Boxes ↓		
	A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.	
	B. Oral Hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from mouth, and manage denture soaking and rinsing with use of equipment.	
	C. Toileting Hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.	

Discharge

GG0130. Self-Care

Code the patient's usual performance at Discharge for each activity using the 6-point scale. If activity was not attempted at Discharge, code the reason.

Coding:

Safety and Quality of Performance – If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. **Setup or clean-up assistance** Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

If activity was not attempted, code reason:

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)

88. Not attempted due to medical conditions or safety concerns

3. Discharge	
Performance	
Enter Codes in	
Boxes	
↓	
	A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
	B. Oral Hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from mouth, and manage denture soaking and rinsing with use of equipment.
	C. Toileting Hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
	E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
	F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable
	G. Lower body dressing: The ability to dress and undress below the waist, including fasteners; does not include footwear.
	H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

SOC/ROC

GG0170. Mobility

Code the patient's usual performance at SOC/ROC for each activity using the 6-point scale. If activity was not attempted at SOC/ROC, code the reason.

Coding:

Safety and Quality of Performance – If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

If activity was not attempted, code reason:

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical conditions or safety concerns

1. SOC/ROC Performance	
Enter Codes in Boxes ↓	
	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support.
	D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
	E. Chair/bed-to-chair transfer The ability to transfer to and from a bed to a chair (or wheelchair).
	F. Toilet transfer: The ability to get on and off a toilet or commode.
	G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space.
	If SOC/ROC performance is coded 07, 09, 10 or 88 \rightarrow Skip to GG0170M, 1 step (curb)
	J. Walk 50 feet with two turns: Once standing, the ability to walk 50 feet and make two turns.
	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.
	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.

SOC/ROC GO	60170. Mobility — Continued
1. SOC/ROC Performance	
Enter Codes in Boxes ↓	
	M. 1 step (curb): The ability to go up and down a curb or up and down one step. If SOC/ROC performance is coded 07, 09, 10 or 88 → Skip to GG0170P, Picking up object.
	N. 4 steps: The ability to go up and down four steps with or without a rail. If SOC/ROC performance is coded 07, 09, 10 or 88 → Skip to GG0170P, Picking up object.
	O. 12 steps: The ability to go up and down 12 steps with or without a rail.
	P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.
	Q. Does patient use wheelchair and/or scooter?
	0. No \rightarrow Skip to M1600, Urinary Tract Infection
	1. Yes \rightarrow Continue to GG170R, Wheel 50 feet with two turns
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.
	RR1. Indicate the type of wheelchair or scooter used
	1. Manual
	2. Motorized
	S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.
	SS1. Indicate the type of wheelchair or scooter used
	1. Manual
	2. Motorized

Follow-up

GG0170. Mobility

Code the patient's usual performance at Follow-up for each activity using the 6-point scale. If activity was not attempted at Follow-up code the reason.

Coding:

Safety and Quality of Performance – If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

If activity was not attempted, code reason:

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical conditions or safety concerns

4. Follow-up Performance	
Enter Codes in Boxes ↓	
	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support.
	D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
	E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
	F. Toilet transfer: The ability to get on and off a toilet or commode
	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If Follow-up performance is coded 07, 09, 10 or 88 \rightarrow Skip to GG0170M, 1 step (curb)
	J. Walk 50 feet with two turns: Once standing, the ability to walk 50 feet and make two turns.
	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.
	M. 1 step (curb): The ability to go up and down a curb or up and down one step. If Follow-up performance is coded 07, 09, 10 or 88 → Skip to GG0170Q, Does patient use wheelchair and/or scooter?

Follow-up G	G0170. Mobility — Continued
4. Follow-up Performan	
Enter Codes Boxes ↓	in
	N. 4 steps: The ability to go up and down four steps with or without a rail.
	Q. Does patient use wheelchair and/or scooter? 0. No → Skip to M1033, Risk of Hospitalization 1. Yes → Continue to GG170R, Wheel 50 feet with two turns
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.
Discharge	
GG0170. Mobi	ity
Code the patier Discharge, code	nt's usual performance at Discharge for each activity using the 6-point scale. If activity was not attempted at e the reason.
score according Activities may b 06. Ind 05. Set follo 04. Sup assi 03. Par but 02. Sub pro 01. Dep of 2 If activity was 07. Pat 09. Not or i 10. Not	 Itity of Performance – If helper assistance is required because patient's performance is unsafe or of poor quality, to amount of assistance provided. <i>be completed with or without assistive devices</i>. ependent – Patient completes the activity by themself with no assistance from a helper. up or clean-up assistance – Helper sets up or cleans up; patient completes activity. Helper assists only prior to or owing the activity. ervision or touching assistance – Helper provides verbal cues and/or touching/steadying and/or contact guard stance as patient completes activity. Assistance may be provided throughout the activity or intermittently. tial/moderate assistance – Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, provides less than half the effort. stantial/maximal assistance – Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and vides more than half the effort. endent – Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance or more helpers is required for the patient to complete the activity. or attempted, code reason: ent refused applicable – Not attempted and the patient did not perform this activity prior to the current illness, exacerbation njury. attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
Performance Enter Codes in Boxes	
→ □	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support.

Discharge G	G0170. Mobility — Continued
	D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
	E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
	F. Toilet transfer: The ability to get on and off a toilet or commode.
	G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If Discharge performance is coded 07, 09, 10 or 88 → Skip to GG0170M, 1 step (curb)
	J. Walk 50 feet with two turns: Once standing, the ability to walk 50 feet and make two turns.
	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.
	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.
	M. 1 step (curb): The ability to go up and down a curb or up and down one step. If Discharge performance is coded 07, 09, 10 or 88 → Skip to Skip to GG0170P, Picking up object.
	N. 4 steps: The ability to go up and down four steps with or without a rail. If Discharge performance is coded 07, 09, 10 or 88 \rightarrow Skip to GG0170P, Picking up object.
	O. 12 steps: The ability to go up and down 12 steps with or without a rail.
	P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.
	Q. Does patient use wheelchair and/or scooter?
	0. No \rightarrow Skip to M1600, Urinary Tract Infection
	1. Yes \rightarrow Continue to GG170R, Wheel 50 feet with two turns
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.
	RR1. Indicate the type of wheelchair or scooter used
	1. Manual 2. Motorized
	S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.
	SS1. Indicate the type of wheelchair or scooter used
	1. Manual
	2. Motorized

M1600. Has this patient been treated for a Urinary Tract Infection in the past 14 days?			
Enter Code	0.	No	
	1.	Yes	
	NA	Patient on prophylactic treatment	
	UK	Unknown [Omit "UK" option on DC]	

M1610. Urinary Incontinence or Urinary Catheter Presence				
Enter Code	 No incontinence or or catheter (includes anuria or ostomy for urinary drainage) Patient is incontinent Patient requires a urinary catheter (specifically: external, indwelling, intermittent, or suprapubic) 			
M1620. Bowel	Incontinence Frequency			
Enter Code				
	y for Bowel Elimination			
	nt have an ostomy for bowel elimination that (with a change in medical or treatment regimen?	nin the last 14 days): a) was related to an inpatient facility stay; <u>or</u>		
Enter Code	treatment regimen.	owel elimination. inpatient stay and did <u>not</u> necessitate change in medical or t stay or <u>did</u> necessitate change in medical or treatment regimen.		
Section I	Active Diagnoses			
M1021. Primar	y Diagnosis & M1023. Other Diagnoses	1		
	Column 1 uencing of diagnoses should reflect the serious- ndition and support the disciplines and services	Column 2 ICD-10-CM and symptom control rating for each condition. Note that the sequencing of these ratings may not match the se- quencing of the diagnoses		
M1021. Primar	y Diagnosis			
a		V, W, X, Y codes NOT allowed a 0 1 2 3 4		
M1023. Other I	Diagnoses			
b		All ICD-10-CM codes allowed b 0 1 2 3 4		
c		c 0 1 2 3 4		
d		d 0 1 2 3 4		
e		e 0 1 2 3 4		

f.

f.

4

3

0

1

2

M1028. Active Diagnoses – Comorbidities and Co-existing Conditions		
\checkmark	↓ Check all that apply	
	1. Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)	
	2. Diabetes Mellitus (DM)	
	3. None of the above	
Castian	L Lasth Canditions	

Section J Health Conditions M1033. Risk for Hospitalization Which of the following signs or symptoms characterize this patient as at risk for hospitalization? Check all that apply $\mathbf{1}$ 1. History of falls (2 or more falls — or any fall with an injury — in the past 12 months) 2. Unintentional weight loss of a total of 10 pounds or more in the last 12 months 3. Multiple hospitalizations (2 or more) in the past 6 months Multiple emergency department visits (2 or more) in the past 6 months 4. Decline in mental, emotional, or behavioral status in the past 3 months 5. 6. Reported or observed history of difficulty complying with any medical instructions (for example, medications, diet, exercise) in the past 3 months 7. Currently taking 5 or more medications 8. Currently reports exhaustion 9. Other risk(s) not listed in 1-8 10. None of the above J0510. Pain Effect on Sleep

Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?" **Enter Code** 0. Does not apply — I have not had any pain or hurting in the past 5 days \rightarrow Skip to M1400, Short of Breath at SOC/ROC; Skip to J1800, Any Falls Since SOC/ROC at DC 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer J0520. Pain Interference with Therapy Activities **Enter Code** Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?" 0. Does not apply — I have not received rehabilitation therapy in the past 5 days 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer J0530. Pain Interference with Day-to-Day Activities **Enter Code** Ask patient: "Over the past 5 days, how often you have limited your day-to-day activities (excluding rehabilitation therapy sessions) because of pain?" 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly Unable to answer 8. J1800. Any Falls Since SOC/ROC, whichever is more recent **Enter Code** Has the patient had any falls since SOC/ROC, whichever is more recent? 0. No → Skip to M1400, Short of Breath at DC; Skip to M2005, Medication Intervention at TRN and DAH 1. Yes → Continue to J1900, Number of Falls Since SOC/ROC

J1900. Number of Falls Since SOC/ROC, whichever is more recent			
	↓ Ente	er code in boxes	
Coding: 0. None		A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall	
1. One 2. Two or more		B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas, and sprains; or any fall-related injury that causes the patient to complain of pain	
		C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma	
M1400. When is the patient dyspneic or noticeably Short of Breath?			

Enter Code 0. **Patient is not short of breath**

- 1. When walking more than 20 feet, climbing stairs
- 2. With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)
- With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation
 At rest (during day or night)

Section K Swallowing/Nutritional Status

M1060. Height and Weight — While measuring, if the number is X.1-X.4 round down; X.5 or greater round up.		
inches	A. Height (in inches). Record most recent height measure since the most recent SOC/ROC	
pounds	B. Weight (in pounds). Base weight on most recent measure in last 30 days; measure weight consistently, according to standard agency practice (for example, in a.m. after voiding, before meal, with shoes off, etc.)	

SO	SOC/ROC			
K0!	K0520. Nutritional Approaches			
1.	On Admission Check all of the nutritional approaches that apply on admission	1. On Admission		
		Check all that apply $~~ igstarrow$		
Α.	Parenteral/IV feeding			
В.	Feeding tube (e.g., nasogastric or abdominal (PEG))			
C.	Mechanically altered diet — require change in texture of food or liquids (e.g., pureed food, thickened liquids)			
D.	Therapeutic diet (e.g., low salt, diabetic, low cholesterol)			
Ζ.	None of the above			

Discharge				
K0!	K0520. Nutritional Approaches			
4. 5.	Check all of the nutritional approaches that were receiv in the last 7 days At discharge Check all of the nutritional approaches that were being	Last 7 days	5. At discharge Check all that apply ↓	
Α.	received at discharge Parenteral/IV feeding			
В.	Feeding tube (e.g., nasogastric or abdominal (PEG))			
C.	Mechanically altered diet — require change in texture food or liquids (e.g., pureed food, thickened liquids)	of 🗌		
D.	Therapeutic diet (e.g., low salt, diabetic, low cholester	I)		
Ζ.	None of the above			
Cur pre	M1870. Feeding or Eating Current ability to feed self meals and snacks safely. Note: This refers only to the process of <u>eating</u> , <u>chewing</u> , and <u>swallowing</u> , <u>not</u> preparing the food to be eaten.			
E	nter Code 0. Able to independently feed self 1. Able to feed self independently b a. meal set-up; OR b. intermittent assistance or sup c. a liquid, pureed, or ground m 2. Unable to feed self and must be a 3. Able to take in nutrients orally an gastrostomy. 4. Unable to take in nutrients orally 5. Unable to take in nutrients orally 5.	ervision from another perso eat diet. ssisted or supervised throug d receives supplemental nut and is fed nutrients through	ghout the meal/snack. trients through a nasogastric tube or	

Section M Skin Conditions

M1306. Does this patient have at least one Unhealed Pressure Ulcer/Injury at Stage 2 or Higher or designated as Unstageable? (Excludes Stage 1 pressure injuries and all healed pressure ulcers/injuries)

Enter Code	 No → Skip to M1322, Current Number of Stage 1 Pressure Injuries at SOC/ROC; Skip to M1324, Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable at DC Yes
M1307. The Ol	dest Stage 2 Pressure Ulcer that is present at discharge: (Excludes healed Stage 2 pressure ulcers)

Enter Code	 Was present at the most recent SOC/ROC assessment Developed since the most recent SOC/ROC assessment. Record date pressure ulcer first identified:
	Month Day Year
	NA. No Stage 2 pressure ulcers are present at discharge

SOC/ROC	
M1311. Current	t Number of Unhealed Pressure Ulcers/Injuries at Each Stage
Enter Number	A1. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. Number of Stage 2 pressure ulcers
Enter Number	B1. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon, or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling. Number of Stage 3 pressure ulcers
Enter Number	C1. Stage 4: Full thickness tissue loss with exposed bone, tendon, or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling. Number of Stage 4 pressure ulcers
Enter Number	D1. Unstageable: Non-removable dressing/device: Known but not stageable due to non-removable dressing/ device Number of unstageable pressure ulcers/injuries due to non-removable dressing/device
Enter Number	E1. Unstageable: Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/ or eschar Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar
Enter Number	F1. Unstageable: Deep tissue injury Number of unstageable pressure injuries presenting as deep tissue injury

Discharge			
M1311. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage			
Enter Number	A1. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. Number of Stage 2 pressure ulcers — If 0 → Skip to M1311B1, Stage 3		
Enter Number	A2. Number of <u>these</u> Stage 2 pressure ulcers that were present at most recent SOC/ROC – enter how many were noted at the time of most recent SOC/ROC		
Enter Number	B1. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon, or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling. Number of Stage 3 pressure ulcers — If $0 \rightarrow Skip$ to M1311C1, Stage 4		
Enter Number	B2. Number of <u>these</u> Stage 3 pressure ulcers that were present at most recent SOC/ROC – enter how many were noted at the time of most recent SOC/ROC		
Enter Number	C1. Stage 4: Full thickness tissue loss with exposed bone, tendon, or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling. Number of Stage 4 pressure ulcers — If $0 \rightarrow Skip$ to M1311D1, Unstageable: Non-removable dressing/device		
Enter Number	C2. Number of <u>these</u> Stage 4 pressure ulcers that were present at most recent SOC/ROC – enter how many were noted at the time of most recent SOC/ROC		
Enter Number	D1. Unstageable: Non-removable dressing/device: Known but not stageable due to non-removable dressing/ device Number of unstageable pressure ulcers/injuries due to non-removable dressing/device — If $0 \rightarrow Skip$ to M1311E1, Unstageable: Slough and/or eschar		
Enter Number	D2. Number of <u>these</u> unstageable pressure ulcers/injuries that were present at most recent SOC/ROC – enter how many were noted at the time of most recent SOC/ROC		
Enter Number	E1. Unstageable: Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/ or eschar Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar — If $0 \rightarrow Skip$ to M1311F1, Unstageable: Deep tissue injury		
Enter Number	E2. Number of <u>these</u> unstageable pressure ulcers/injuries that were present at most recent SOC/ROC – enter how many were noted at the time of most recent SOC/ROC		
Enter Number	F1. Unstageable: Deep tissue injury Number of unstageable pressure injuries presenting as deep tissue injury — If $0 \rightarrow Skip$ to M1324, Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable		
Enter Number	F2. Number of <u>these</u> unstageable pressure injuries that were present at most recent SOC/ROC – enter how many were noted at the time of most recent SOC/ROC		

M1322. Current Number of Stage 1 Pressure Injuries		
Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only, it may appear with persistent blue or purple hues.		
	D. Zero 1. One 2. Two 3. Three 4. Four or more	
M1324. Stage	of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable	
	ure ulcer/injury that cannot be staged due to a non-removable dressing/device, coverage of wound bed by slough or deep tissue injury.	
	 Stage 1 Stage 2 Stage 3 Stage 4 NA Patient has no pressure ulcers/injuries or no stageable pressure ulcers/injuries 	
M1330. Does	this patient have a Stasis Ulcer?	
	 No → Skip to M1340, Surgical Wound Yes, patient has BOTH observable and unobservable stasis ulcers Yes, patient has observable stasis ulcers ONLY Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing/ device) → Skip to M1340, Surgical Wound 	
M1332. Curren	nt Number of Stasis Ulcer(s) that are Observable	
	1. One 2. Two 3. Three 4. Four or more	
M1334. Status	s of Most Problematic Stasis Ulcer that is Observable	
	 Fully granulating Early/partial granulation Not healing 	
M1340. Does this patient have a Surgical Wound?		
	 No → Skip to N0415, High-Risk Drug Classes: Use and Indication Yes, patient has at least one observable surgical wound Surgical wound known but not observable due to non-removable dressing/device → Skip to N0415, High-Risk Drug Classes: Use and Indication 	
M1342. Status of Most Problematic Surgical Wound that is Observable		
	 D. Newly epithelialized 1. Fully granulating 2. Early/partial granulation 3. Not healing 	

Section N Medications

SOC/ROC and Discharge					
N04	415. High-Risk Drug Classes: Use and Indication				
1. 2.	Is taking Check if the patient is taking any medications by pharma- cological classification, not how it is used, in the following classes Indication noted	1. Is Taking ↓ Check all t	2. Indication Noted that apply ↓		
	If Column 1 is checked, check if there is an indication noted for all medications in the drug class				
Α.	Antipsychotic				
E.	Anticoagulant				
F.	Antibiotic				
Н.	Opioid				
١.	Antiplatelet				
J.	Hypoglycemic (including insulin)				
Z.	None of the above				
Did	001. Drug Regimen Review a complete drug regimen review identify potential clinically s	ignificant medication issues?			
Ent	Enter Code 0. No — No issues found during review → Skip to M2010, Patient/Caregiver High-Risk Drug Education 1. Yes — Issues found during review 9. 9. NA — Patient is not taking any medications → Skip to O0110, Special Treatments, Procedures, and Programs				
M2003. Medication Follow-up Did the agency contact a physician (or physician-designee) by midnight of the next calendar day and complete prescribed/ recommended actions in response to the identified potential clinically significant medication issues?					
Enter Code 0. No 1. Yes					
M2005. Medication Intervention Did the agency contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the SOC/ROC?					
Enter Code 0. No 1. Yes 9. NA — There were no potential clinically significant medication issues identified since SOC/ROC or patient is not taking any medications					
M2010. Patient/Caregiver High-Risk Drug Education					
Has the patient/caregiver received instruction on special precautions for all high-risk medications (such as hypoglycemics, anticoagulants, etc.) and how and when to report problems that may occur?					
Ent	Enter Code 0. No 1. Yes NA Patient not taking any high-risk drugs OR patient/caregiver fully knowledgeable about special precautions associated with all high-risk medications				

M2020. Management of Oral Medications				
	Patient's current ability to prepare and take all oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)			
Enter Code	 Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times. Able to take medication(s) at the correct times if: a. individual dosages are prepared in advance by another person; <u>OR</u> b. another person develops a drug diary or chart. Able to take medication(s) at the correct times if given reminders by another person at the appropriate times <u>Unable</u> to take medication unless administered by another person. NA No oral medications prescribed. 			
M2030. Manag	M2030. Management of Injectable Medications			
Patient's current ability to prepare and take all prescribed injectable medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. Excludes IV medications.				
0	at the appropriate times/intervals. Excludes IV medications.			

Section O Special Treatment, Procedures, and Programs

SOC/ROC		
O0110. Special Treatments, Procedures, and Programs		
Check all of the following treatments, procedures, and programs that apply on admission.	a. On Admission Check all that apply ↓	
Cancer Treatments		
A1. Chemotherapy		
A2. IV		
A3. Oral		
A10. Other		
B1. Radiation		
Respiratory Therapies		
C1. Oxygen Therapy		
C2. Continuous		
C3. Intermittent		
C4. High-concentration		
D1. Suctioning		
D2. Scheduled		
D3. As Needed		
E1. Tracheostomy care		
F1. Invasive Mechanical Ventilator (ventilator or respirator)		
G1. Non-invasive Mechanical Ventilator		
G2. Bipap		
G3. CPAP		
Other		
H1. IV Medications		
H2. Vasoactive medications		
H3. Antibiotics		
H4. Anticoagulation		
H10. Other		
11. Transfusions		
J1. Dialysis		
J2. Hemodialysis		
J3. Peritoneal dialysis		
01. IV Access		
O2. Peripheral		
O3. Mid-line		
O4. Central (e.g., PICC, tunneled, port)		
None of the Above		
Z1. None of the Above		

Discharge		
O0110. Special Treatments, Procedures, and Programs		
Check all of the following treatments, procedures, and programs that apply on discharge.	c. At Discharge Check all that apply ↓	
Cancer Treatments		
A1. Chemotherapy		
A2. IV		
A3. Oral		
A10. Other		
B1. Radiation		
Respiratory Therapies		
C1. Oxygen Therapy		
C2. Continuous		
C3. Intermittent		
C4. High-concentration		
D1. Suctioning		
D2. Scheduled		
D3. As Needed		
E1. Tracheostomy care		
F1. Invasive Mechanical Ventilator (ventilator or respirator)		
G1. Non-invasive Mechanical Ventilator		
G2. BIPAP		
G3. CPAP		
Other		
H1. IV Medications		
H2. Vasoactive medications		
H3. Antibiotics		
H4. Anticoagulation		
H10. Other		
11. Transfusions		
J1. Dialysis		
J2. Hemodialysis		
J3. Peritoneal dialysis		
O1. IV Access		
O2. Peripheral		
O3. Mid-line		
O4. Central (e.g., PICC, tunneled, port)		
None of the Above		
Z1. None of the Above		

O0350. Patient's COVID-19 vaccination is up to date.				
Enter Code				

No, patient is not up to date
 Yes, patient is up to date

M1041. Influenza Vaccine Data Collection Period

Does this episode of care (SOC/ROC to Transfer/Discharge) include any dates on or between October 1 and March 31?

Enter Code

0. No \rightarrow Skip to M2401, Intervention Synopsis

1. Yes \rightarrow Continue to M1046, Influenza Vaccine Received

M1046. Influenza Vaccine Received

Did the patient receive the influenza vaccine for this year's flu season?

Enter Code	1.	Yes; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge)
	2.	Yes; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge)
	3.	Yes; received from another health care provider (for example, physician, pharmacist)
	4.	No; patient offered and declined
	5.	No; patient assessed and determined to have medical contraindication(s)
	6.	No; not indicated – patient does not meet age/condition guidelines for influenza vaccine
	7.	No; inability to obtain vaccine due to declared shortage
	8.	No; patient did not receive the vaccine due to reasons other than those listed in responses 4-7.

Section Q Participation in Assessment and Goal Setting

M2401. Intervention Synopsis

At the time of or at any time since the most recent SOC/ROC assessment, were the following interventions BOTH included in the physician-ordered plan of care AND implemented? (Mark only one box in each row.)

	Plan/Intervention	No	Yes		Not Applicable	
		↓ Check o	Check only one box in each row 🗸			
b.	Falls prevention interventions	0	1	NA NA	Every standardized, validated multi-factor fall risk assessment conducted at or since the most recent SOC/ROC assessment indi- cates the patient has no risk for falls.	
С.	Depression intervention(s) such as medication, referral for other treatment, or a monitoring plan for current treatment	0		NA	Patient has no diagnosis of depression AND every standardized, validated depression screening conducted at or since the most recent SOC/ROC assessment indicates the patient has: 1) no symptoms of depression; or 2) has some symptoms of depression but does not meet criteria for further evaluation of depression based on screening tool used.	
d.	Intervention(s) to monitor and mitigate pain	0	1	NA NA	Every standardized, validated pain assess- ment conducted at or since the most recent SOC/ROC assessment indicates the patient has no pain.	
e.	Intervention(s) to prevent pressure ulcers	0		NA	Every standardized, validated pressure ulcer risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient is not at risk of developing pres- sure ulcers.	
f.	Pressure ulcer treatment based on principles of moist wound healing	0			Patient has no pressure ulcers OR has no pressure ulcers for which moist wound heal- ing is indicated.	